



TECHNICAL DATASHEET

BTA-70100-DCS-2

CABLE, ABC, SOLAR, 4-PNL, 8ft, 6ft, 4ft, 2ft



Features

- The BTA-70100-DCS-2 is a standard Solar Input Cable which connects 4 Solar Panels to the Advanced Battery Charger (ABC).
- Incorporates Maximum Power Point Tracking (MPPT)
- Solar-panel array with the following characteristics:
 - Open-circuit voltage: 38V or less
 - Voltage at the maximum power point: 11-36V
- Max Current: 22A

Related Products

BTC-70100 (Advanced Battery Charger)



Technical Specifications

National Stock Number	Pending
BT Part Number	BTA-70100-DCS-2
Dimensions	Cable Length: 96 in (2.4 m)
Weight	2.6 lbs (1.2 kg)
Operating Temperature	-20°C to +50°C (-4°F to +122°F)
Storage Temperature	-40°C to +70°C (-40°F to +158°F)
Material/Color	Rubber with Metal Connector/Black
Disposal	Check local regulations (Contains 0% Mercury or Cadmium)

Bren-Tronics is an advanced designer and manufacturer of primary and rechargeable batteries, chargers and complete energy storage systems from watt hours to megawatt hours.

For a complete description of our products refer to Bren-Tronics website at: <http://www.bren-tronics.com>



HEADQUARTERS

United States

10 Brayton Court, Commack, NY 11725
Phone: 1-631-499-5155 • Fax: 1-631-499-5504

Europe • 20 rue Henri Regnault 75014, Paris, France • Phone: +33(0)1-40-59-8051 • Fax: +33(0)1-45-41-5816

United Kingdom • 7 Airfield House, Kingston Business Park, Kingston Bagpuize, Oxon OX13 5FD • Phone: +44-1865-822322 • Fax: +44-1865-822301

Data presented in this document is subject to change without notice. This is for marketing and sales purposes only. This is not a controlled document. Please contact Bren-Tronics for latest specifications.